Index

Page numbers in *italics* refer to illustrations

A

abducent nerve *143*, *207–208*, *230*, *235*, *242–243*, *249*, *275*
  endoscopy and *286–288*, *291–294*
  surgical management around tumor 128, *129*, *132*
accessory nerve *42*, *130*, *145–147*, *173*
  endoscopy and *286–287*, *289*
acoustic neurinoma *4–5*
  arachnoid cyst association 137, *137*
  classification 5, *6*
  cystic *8–10*, *29*, 138, *138*
  epidemiology 1
  giant 138, *139*, 141
  in only hearing ear 25
    management 263, *264–266*
  medially placed 136, *136*
  natural history 1
  pathogenesis 1
  post-radiotherapy 140, *140*
  signs and symptoms 1–3
  temporal bone invasion 137
  tumor shape 5, *7*
  tumor size 5, *6*, 25
acousticofacial bundle
  combined retrosigmoid–retrolabyrinthine approach *143*, *145–147*, *150*
  endoscopy and *286*, *288–290*
  enlarged middle cranial fossa approach *183–184*
  enlarged translabyrinthine approaches *62*, *89*, *95*
  transotic approach *208*
adhesions *72–73*, *87–88*, *190*, *222*, *233*
aditus *156*
air embolism 300
anterior inferior cerebellar artery (AICA) *9–11*, *41–42*, 43, *249*
  combined retrosigmoid–retrolabyrinthine approach *143*, *147*, *162*, *166*, *168*, *173*
  endoscopy and *286–294*
  middle cranial fossa approaches *178*, *184*, *198*, *203*
  modified transcochlear approach *235*
  surgical management around tumor 130, *130–133*
  translabyrinthine approaches *62*, *102–103*, *113*, *129*, *137*
  transotic approach *207–208*, *227*, *229–230*
antibiotics 38
arachnoid 47, *48–49*, *77*
arachnoid cyst 18, *20*, *131*
  tumor association 137, *137*
arcuate eminence *177*, *179–183*, *194–195*, *202*
ataxia 300
atelectasis 300
auditory brainstem implants (ABIs) 248–250, 266–267
  clinical application *251–263*
  first-side versus second-side surgery 248
  indications and contraindications 248
  pearls and pitfalls 266–267
  promontory testing 248
  surgical techniques 248–250, *249*
  see also cochlear implant
auditory brainstem response (ABR) 1–2
  cochlear nerve monitoring 56–58, *57–58*

B

basilar artery *42*, *95*, *129–130*, *208*, *229–230*, *235*, *241*
  endoscopy and *288–289*, *291–292*, *294*
  surgical management around tumor 134, *134*
basilar plexus of veins *287–288*
Bill's bar (vertical crest) *41*, *143*, *146*
  enlarged middle cranial fossa approach *177*, *183–184*, *188*, *202*
  enlarged translabyrinthine approaches 61, *61–62*, *71–73*, *91*, *97*
  transcochlear approaches *221–222*, *239–240*
bipolar coagulation 36–37, *36*, 45, 48, *49*, *173*
bleeding 295–296, *296–297*
  management of 44–45
blind-sac closure 208, *209–210*
blood transfusions 301
brain edema 299
brain retraction 45
brainstem *50*, *129*
  compression 12, *13–14*, *245*
  enlarged translabyrinthine approach *81–82*, *86*, *88–89*
    with transapical extension *101*, *103*, *107*, *111*
  facial nerve identification *127–128*
  indentation 12, *12*
  modified transcochlear approach *235*, *241–243*
  see also auditory brainstem implants (ABIs)
burst response 55, *55*

C

carotid artery *225–226*
  see also internal carotid artery
cerebellar dysfunction 2
cerebellopontine angle (CPA) 41–43, *41–42*, *82*, *143*
  access to 65–69, *65–70*, 142
  arteries 43
  endoscopy risks 294
  nerves 43
  surgical orientation 40–44
  surgical techniques 44–51
    brain tissue management 45–46
    drilling 44
    management of bleeding 44–45
    tumor access 46, *46–47*
    tumor dissection and removal 47–51, *47–50*
cerebellum *82*, *100–101*, *110*, *130*, *143*, *147*, *150*, *157*, *170*, *207*, *263*
cerebrospinal fluid (CSF) leakage 298, *298*, *299*
  highly pneumatized temporal bone and 122, *122–123*, *156*
  prevention 174, 298
  treatment 298
cholesteatoma *21*
choroid plexus *249*, *255*, *260*, *262*
cleavage plane 14, *14*
clivus *95*, *206–208*, *234–235*, *240*

aus: Sanna, Atlas of Acoustic Neurinoma Microsurgery (ISBN 9783131102829) © 2011 Georg Thieme Verlag KG

coagulation
bipolar 36–37, *36*, 45, 48, *49*, *173*
monopolar 45
cochlea *143*
enlarged middle cranial fossa approach *177*, *181–183*, *188–190*, *195–200*
modified transcochlear approach *233–234*, *236*
transotic approach *206–207*, *211*, *214–216*, *221–224*
cochlear aqueduct 66, *68*, *104*, *146–147*, *237*
cochlear implant *263–264*
see also auditory brainstem implants (ABIs)
cochlear nerve *41*
auditory brainstem implantation and *253–255*, *263*
combined retrosigmoid–retrolabyrinthine approach *146–147*, *153*, *160*, *165*, *170–171*, *173–174*
endoscopy and *286–287*, *289*, *293–294*
middle cranial fossa approaches *177*, *184*, *190*, *192–194*, *199–200*, *203*
monitoring 32, 56–59
protocol 56–59, *57–59*
translabyrinthine approaches *62*, *72*, *79*, *87–88*, *97*, *108*, *110*, *128–129*
transotic approach *222*, *224*, *228*
cochlear nerve action potential (CNAP) 56, 58–59, *58–59*, *158*, *166–168*, *170*
cochleariform process *213–214*, *221–222*, *233*, *236*
combined retrosigmoid–retrolabyrinthine approach 142–175
advantages and disadvantages 175
clinical application *155–171*
contraindications 143
indications 142, *142*
limitations 175
pearls and pitfalls 172–174
rationale 142
surgical anatomy *142–147*, 143
surgical techniques 148–171
access to tumor 148–150, *148–152*
tumor removal 150–152, *150–154*
complications 295, *295*
air embolism 300
ataxia 300
atelectasis 300
brain edema 299
cerebrospinal fluid leakage 298, *298*, *299*
prevention 174, 298
treatment 298
cranial nerve defects 299–300, *300*
headaches 300
hemorrhage 295–296, *296–297*
management of 44–45
hydrocephalus 300
infarction 296–297
meningitis 299
pneumocephalus 300
pneumonia 300
thromboembolism 301
tinnitus 300
unsteadiness 300
wound infection 301
computed tomography (CT) 15, *15*
corticoids 38
cranial nerves
acoustic neuroma involvement 2–3
postoperative defects 299–300, *300*
see alsospecific nerves
crus commune *143*, *147*
current jumping 54
current shunting 54
cystic tumors 8, *8–10*, *29*, 138, *138*
cysts
arachnoid 18, *20*
extratumoral 8, *11*
intratumoral 8, *8–11*

D

Dandy's vein *95*, *132–134*, *178*, *208*, *291–292*
surgical management around tumor *132–135*, 135
decision making *27*
elderly patients 26
neurofibromatosis type 2 247–248, *247*
neurological disorders and 26, *26*
patient factors 25
radiosurgery 26
surgeon factors 25
surgical approach 27–29, *27–30*
surgical versus nonsurgical treatment 25–26
deep vein thrombosis 301
dexamethasone 38
digastric muscle *284–285*
digastric ridge 60, *61*, *65*, *95*, *144*, *162*, *206–207*, *233–234*
discharge 39
disequilibrium 2
dressing *38*
drilling 44
drills 35–36, *35–36*
dural tears 124, *124*, 141
DVD recorder 34, *35*

E

elderly patients 26
electrodes 52, *52*
positioning of 53, *53*, *54*
emissary vein 114, *114–115*
endolymphatic duct 66, *67–68*, *144–147*, *156*, *236*
endolymphatic sac *143*
endoscopy 286
applications 289–294
enlarged middle fossa approach 293–294, *293–294*
retrosigmoid approach 293, *293*
translabyrinthine approach 289–293, *289–293*
instruments 286
risks of 294
surgical anatomy 286–288, *286–288*
technique 289
enlarged middle cranial fossa approach 176–204
advantages and disadvantages 204
clinical application *192–201*
contraindications 176
endoscopy applications 293–294, *293–294*
indications 176
internal auditory canal identification 178–179, *178–179*
limitations 204
pearls and pitfalls 201–203
rationale 176, *176*
surgical anatomy 176–177, *177–178*
surgical techniques 184–190, *185–191*
closure 190, *191*
internal auditory canal exposure 187–188, *188–189*
positioning 184, *185*
steps to internal auditory canal 184–187, *185–188*
tumor removal 189, *189–190*
enlarged translabyrinthine approach (ETLA) 27–28, *27–28*, 60–92
advantages and disadvantages 92
clinical application 86, *86–88*
contraindications 60
indications 60
limitations 92
pearls and pitfalls 89–92
surgical anatomy 60–61, *61–63*
surgical technique 61–82
bloodless techniques 75–80, *75–82*
closure 82, *82–85*
facial nerve identification at fundus 70–73, *71–73*
labyrinthectomy 65–69, *65–70*
mastoidectomy 65, *65*
opening the dura 73–74, *73–75*
surgical steps to mastoidectomy 61–63, *63–64*
with transapical extension 93–113, *93*
advantages and disadvantages 113
clinical application 98, *98–113*, 104, 109
indications 94
limitations 94
pearls and pitfalls 113

aus: Sanna, Atlas of Acoustic Neurinoma Microsurgery (ISBN 9783131102829) © 2011 Georg Thieme Verlag KG

rationale 93
surgical anatomy *94–95*
surgical technique 94–96, *95–97*
epidermoid 18, *20*
eustachian tube *83–84*
modified transcochlear approach *233–234*, *236*
transotic approach *206–207*, *210*, *213*, *215–218*, *221–222*
evoked auditory brainstem response (EABR) 56–58, *57–58*
external auditory canal *180*
extratumoral cysts 8, *11*

F

facial nerve *9–10*, 40–41, *40–44*, 43–44, *49*, *136*
acoustic neurinoma involvement 2
anatomical variants and
anteriorly placed sigmoid sinus *120*
high jugular bulb *115–116*
highly pneumatized temporal bone *122–123*
large mastoid emissary vein *114*
low-lying middle fossa dura *121*
auditory brainstem implantation and *249*, *253–254*, *260*, *263*
combined retrosigmoid–retrolabyrinthine approach *143–144*, *146–147*, *153*, *156*, *159–162*, *165*, *168*, *171*, *174*
endoscopy and *289–290*, *292–294*
enlarged translabyrinthine approach 60, *61–62*, *68–73*, *79–84*, *87–88*, *90–91*
with transapical extension *94–97*, *98–113*
genu *61*, *70–73*, *76–82*, *86–88*, *95–96*, *98–106*, *108–112*, *118*, *128, 130*, *217–218*, *263*, *271*, *277*
identification of 54, 65, 127–128, *127–128*
at the fundus 70–73, *71–73*, *126*
internal auditory canal segment *146–147*, *183*, *234*, *240*, *271*
intracisternal *228*
labyrinthine segment 43, *62*, *146–147*, *177*, *183*, *233*, *238*
localization of (mapping) 54
mastoid segment *41*, 44, 60, *61–62*, *64–65*, *95*, *207–208*, *220*, *225–228*, *233*, *236–240*
middle cranial fossa approaches *177–178*, *183–184*, *188–190*, *192–200*, *202–203*
modified transcochlear approach *233–234*, *236–241*
monitoring 32, *33*, 52–56
artifacts 55, *55*
confirmation of functional integrity 56
instrumentation 52–53, *52*
minimization of neural trauma 55
purposes of 54
techniques 53
postoperative function 299–300, *300*
prediction 56
reanimation *see* facial nerve reanimation
schwannoma 16–18, *20*
surgical management around tumor 124–128, *125–129*, *131*, *133–135*, 141
dissection of tumor from nerve 128, *128–129*
position relative to tumor 124, *125–127*
transotic approach *206–208*, *210–218*, *220–228*, *231*
tympanic segment 43–44, *146*, *206–208*, *220*, *233*, *236–240*
facial nerve reanimation 268–285
end-to-end anastomosis 260, *261*
hypoglossofacial nerve anastomosis 283–284
surgical approach 283–284, *283–285*
indications 268
interposition graft 270–282
clinical application *270–282*
harvesting the sural graft 282, *282–283*
pearls and pitfalls 285
fallopian canal *228–230*, *233–234*, *239*
Fisch's method for internal auditory canal identification 178, *178*
flocculus *132*, *260*, *289–290*, *294*
foot-pedal control 33, *34*
foramen of Luschka *249*, *255*, *260*

G

Garcia-Ibanez's method for internal auditory canal identification 179, *179*
gasserian ganglion *177*
gelatin sponge 45
geniculate ganglion
combined retrosigmoid–retrolabyrinthine approach *143*, *146–147*
enlarged middle cranial fossa approach *177*, *183*
modified transcochlear approach *233–234*, *238–240*
transotic approach *206–207*, *213–216*, *222–226*
giant tumors 138, *139*, 141
glossopharyngeal nerve *42*, 66, *95*, *130*, *208*, *286–287*
auditory brainstem implantation and *255–256*
combined retrosigmoid–retrolabyrinthine approach *143*, *145–147*, *173–174*
greater petrosal nerve *181–183*, *188*, *207*, *233–234*, *238*
greater superficial petrosal nerve *177*, *179*, *181*, *188*, *194–195*

H

headaches 300
hearing loss 1–2
classification *1*, *2*
hearing-preservation surgery 28, *28*
hematoma 301
hemorrhage 8, *11*, 295–296, *296–297*
management of 44–45
horizontal crest *40–41*, *128–129*, *146*
enlarged translabyrinthine approach *61–62*, *69*, *71–73*
with transapical extension *97*, *110*
modified transcochlear approach *233*, *240*
transotic approach *214–215*, *217*, *220–222*
House's method for internal auditory canal identification 178, *178*
hydrocephalus 3, 300
hypoglossal nerve *146*, *241*, *281*, *283*, *287*, *289*, *292*
facial nerve reanimation 283–284, *283–285*

I

incus *67–68*, *71–73*, *83*, *95–96*, *143*, *177*
infarction 296–297
inferior petrosal sinus *234*, *287–288*
inferior vestibular nerve (IVN) *40–41*
combined retrosigmoid–retrolabyrinthine approach *146*, *152–153*, *163*, *165*
middle cranial fossa approaches *184*
translabyrinthine approaches *40–41*, *62*, *69*, *71–73*, *79*, *91*, *126*, *136*
transotic approach *221–222*, *224*
infralabyrinthine air cells *156*
infralabyrinthine space *156*
inner ear invasion 12, *12*
instruments 35–37, *35–38*
internal auditory canal (IAC) *15*, 40, 40–41, *40–41*, *49*
access to 65–69, *65–70*
anatomical variants
contracted mastoid *121*
high jugular bulb *115–118*
highly pneumatized temporal bone *122–123*
body structure 40, *40*
combined retrosigmoid–retrolabyrinthine approach *145–147*, *152*, *158*, *165*, *169–171*, *173*
internal auditory canal (IAC)

aus: Sanna, Atlas of Acoustic Neurinoma Microsurgery (ISBN 9783131102829) © 2011 Georg Thieme Verlag KG

enlarged translabyrinthine approach *62*, *69–70*, *76*
with transapical extension *94–99*, *104–105*, *109*
identification *90*, 178–179, *178–179*
invasion 5, *7*
middle cranial fossa approaches *177–179*, *181–183*, 187–188, *188–198*, *203*
modified transcochlear approach *233*, *237–239*, *241*
porus *68–69*, *94*
skeletonizations *96*
surgical management around tumor *131*
transotic approach *206–207*, *214–218*, *220*, *224–226*, *229*
internal carotid artery *177–178*, *206–207*, *211–212*, *225–226*, *231*, *233–235*, *238–240*
intraoperative facial nerve monitoring *see* facial nerve
intratumoral cysts 8, *8–11*

J

jugular bulb *15*, *40–41*, *136*
anatomical variants
contracted mastoid *121*
high jugular bulb 115, *115–118*, 140, *173*, *228*
highly pneumatized temporal bone *122–123*
low-lying middle fossa dura *121*
bleeding from 123, *123–124*, 140–141
combined retrosigmoid–retrolabyrinthine approach *143–147*, *152*, *173*
enlarged middle cranial fossa approach *177*
enlarged translabyrinthine approach *61–62*, *65–66*, *68–69*, *74–76*, *83–84*, *86*, *90*
with transapical extension *94–95*, *99*, *104–106*, *108*, *110*
modified transcochlear approach *233–235*, *237–241*
protruding *30*
surgical management around tumor *131*, *133*
management of mishaps *123–124*
transotic approach *206–208*, *211*, *220*, *225–231*

L

labyrinth *43*, *64*, *156*
lipoma 16, *20*

M

magnetic resonance imaging (MRI) 4, *4–5*
malleus *83–84*, *143*, *177*
mandibular nerve *177*
mastoid
contracted 121, *121*
tip *144–145*, *156*
mastoid air cells *177*, *191*, *201*
mastoid emissary vein 114, *114–115*, *144*
medication 38–39
medulla oblongata *287*, *289*, *292*
meningioma 16, *18*, 245, *246*, *252*
meningitis 299
Merocel 45
metastases 16, *19*
microinstruments 37, *37–38*
microscope 34, *34*
middle cranial fossa (MCF) *62*
middle cranial fossa (MCF) approach *27*, *176*, *180–184*
see also enlarged middle cranial fossa approach
middle fossa dura (MFD) *15*, 40, 40–41, *40–41*, *49*, *136–137*
anatomical variants
anteriorly placed sigmoid sinus *119–120*
contracted mastoid *121*
high jugular bulb *116*, *118*
highly pneumatized temporal bone *122–123*
low-lying MFD 121, *121*
combined retrosigmoid–retrolabyrinthine approach *144*, *149*, *151*, *154*, *156*, *162*
enlarged translabyrinthine approach *61–62*, *65–69*, *75–84*, *87–89*
with transapical extension *94–105*, *107–113*
facial nerve reanimation *270*, *273–274*, *279–281*
middle cranial fossa approaches *180*, *182–183*, *187–189*, *201–202*
modified transcochlear approach *233–241*
surgical management around tumor *130–131*, *133*, *135*
management of mishaps *123–124*
transotic approach *206–208*, *210–218*, *220*, *224–226*, *231*
middle fossa plate *180*, *191*
middle meningeal artery *177–178*, *180–181*
modified transcochlear approach *see* transcochlear approaches
monitoring *see* cochlear nerve; facial nerve

N

neurofibromatosis type 2 (NF2) 15, *16–18*, *120*, 244–263
clinical diagnosis 244–245, *244*
clinical manifestations 245
management 245–247
auditory brainstem implants (AIBs) 248–250, *249*, *251–263*
decision making 247–248, *247*
surveillance 247
vestibular schwannoma 245, *245–246*
neurological disorders 26, *26*

O

oculomotor nerve *95*, *288*
operation room setup 31–34, *31–35*
oxidized regenerated cellulose 45

P

patient interface box 53
patient preparation 32, *32–33*
periosteum *84*, *92*
petrous apex *177*
petrous ridge *181*
piperacillin 38
pneumatization 122, *122–123*, 140, *156*, *162*
pneumocephalus 300
pneumonia 300
pons *95*, *132*, *134*, *136*, *212*, *292*, *294*
post-radiotherapy tumors 140, *140*
posterior cerebral artery *95*, *288*
posterior fossa dura (PFD) *137*
anatomical variants
anteriorly placed sigmoid sinus *119–120*
high jugular bulb *115*, *118*
combined retrosigmoid–retrolabyrinthine approach *145*, *149–152*, *154*, *156*, *162*, *165*, *174*
enlarged translabyrinthine approach *67–69*, *74–76*, *79*, *89*
with transapical extension *95–102*, *104–106*, *110–111*
middle cranial fossa approaches *179*, *181–183*, *188–190*, *195*, *203*
modified transcochlear approach *234*, *237–238*, *240*
surgical management around tumor *131*
tears 124, *124*
transotic approach *206–207*, *213–214*, *216*, *218*, *220*, *224–226*
posterior inferior cerebellar artery (PICA) *9–11*, *42*, 43, *208*, *289*, *292*
postoperative management 38–39
discharge 39
medication 38–39

aus: Sanna, Atlas of Acoustic Neurinoma Microsurgery (ISBN 9783131102829) © 2011 Georg Thieme Verlag KG

postoperative scans 22, *22–24*
preopontine cistern *235*
promontory testing 248
pulmonary embolism 301

R

radiosurgery 26
recording electrodes 52
  positioning of 53, *53*, *54*
residual tumors 18, *21*
retrolabyrinthine air cells *156*
retrolabyrinthine approach *see* combined retrosigmoid–retrolabyrinthyine approach
retrosigmoid approach (RS) *27*, *28*, 142, *142–143*
  endoscopy applications 293, *293*
  see also combined retrosigmoid–retrolabyrinthyine approach
round window *233*

S

schwannoma
  bilateral vestibular 15, *16–17*
  cystic vestibular 8, *8–10*
  facial nerve 16–18, *20*
  lower cranial nerve 16, *19*
  see also acoustic neurinoma
scrub nurse's position 33, *34*
semicircular canals *65–67*, 66
  inferior *143*
  lateral *61*, *65–67*, *71–73*, *114*, *144*, *156*, *177*, *213–216*, *220–224*, *233*, *236*
  posterior 60, *61*, *65–67*, *143–144*, *146–147*, *156*, *177*, *233*
  superior *61*, *65–67*, *70–73*, *143–147*, *177–178*, *182–184*, *188–191*, *195–200*, *213–216*, *220*, *222*, *224*, *233*, *236*
sigmoid sinus 14, *15*, *40–41*, *49*, *136–137*
  anatomical variants and
    anteriorly placed sigmoid sinus 119, *119–120*
    contracted mastoid *121*
    high jugular bulb *115–116*, *118*
    highly pneumatized temporal bone *122–123*
    large mastoid emissary vein *114–115*
  auditory brainstem implantation and *263*
  bleeding from 123, 140
  combined retrosigmoid–retrolabyrinthine approach *144–145*, *149–152*, *154*, *156*, *161–162*, *174*
  enlarged translabyrinthine approach *61–62*, *64–69*, *73–82*, *86–90*
    with transapical extension *94–96*, *98–109*, *111–112*
  facial nerve reanimation and *273–275*, *279*
  modified transcochlear approach *233–234*, *236–237*, *239–241*
  surgical management around tumor *130–131*
    management of mishaps *123–124*
  transotic approach *206–208*, *210–213*, *215*, *217–218*, *220*, *231*
sphenoid sinus *235*
spinal tumors 245
stapes *213–214*, *233*, *236*
stimulating electrodes 52, *52*
subtotal removal
  preplanned 29, *29*
  unplanned 29, *30*
suction irrigation 35, *35*
superior ampullary nerve (SAN) *41*, *61*, *70–72*, *91*
  canal *69*, *71–72*
superior cerebellar artery (SCA) *41–42*, 43, *288*
  combined retrosigmoid–retrolabyrinthine approach *143*, *147*
  modified transcochlear approach *235*
  surgical management around tumor 134, *134*
  translabyrinthine approaches *62*, *95*, *108*, *129*
  transotic approach *207–208*
superior petrosal sinus *73–74*, *98*, *119*, *123*, *178*, *194*, *207*, *234*
  bleeding from 123, 140
superior vestibular nerve (SVN) *40–41*
  combined retrosigmoid–retrolabyrinthine approach *143*, *146*, *153*, *163*, *165*, *170*
  middle cranial fossa approaches *177*, *183–184*, *188*, *190*, *192*, *198–199*, *202*
  translabyrinthine approaches *62*, *71–73*, *79*, *91*, *126*, *136*
  transotic approach *217*, *220–222*, *224*
sural nerve graft *271–276*, *278–282*
  harvesting of 282, *282–283*
surgeon's position 33, *33*
surgical approach 27–29, *27–30*
Surgicel 45

T

tegmen tympani *188*
temporal bone
  highly pneumatized 122, *122–123*, 140
  tumor invasion 137
tensor tympani *211*, *231*, *234*
tentorium *78*, *134*, *235*, *288*
tinnitus 2, 300
total versus subtotal removal 29
train response 55, *55*
transcochlear approaches 205–243
  modified transcochlear approach 232–243, *232*
    advantages and disadvantages 243
    clinical application *236–243*
    contraindications 232
    indication 232
    pearls and pitfalls 243
    rationale 232, *232*
    surgical anatomy *232–235*
    surgical technique 235
  transotic approach 205–232
transfusions 301
translabyrinthine approaches *60*, *89*
  anatomical variations 114–122
  endoscopy applications 289–293, *289–293*
  management of surgical mishaps 123–124
  nerve management 124–130, *125–130*
  pearls and pitfalls 140–141
  see also enlarged translabyrinthine approach (ETLA)
transotic approach 205–232
  advantages and disadvantages 232
  blind-sac closure 208, *209–210*
  clinical application *213–230*
  contraindications 205
  indications 205
  pearls and pitfalls 231
  rationale 205, *205–206*
  surgical anatomy *206–208*
  surgical techniques 210–212, *210–212*
transverse crest *91*, *126*
transverse sinus *119*, *144–145*, *149–150*
trigeminal nerve *41–42*, *49–50*
  acoustic neurinoma involvement 2
  combined retrosigmoid–retrolabyrinthine approach *143*, *147*, *150*, *157*, *159–160*, *169–170*, *173*
  endoscopy and *286*, *289–292*
  enlarged translabyrinthine approach *62*, *79*, *86*, *88–89*
    with transapical extension *95*, *107–108*
  facial nerve reanimation and *270*, *272–273*, *275–276*, *279*
  modified transcochlear approach *235*
  schwannoma *246*
  surgical management around tumor 128, *129*, *131*, *135*
  transotic approach *207–208*
trochlear nerve *41–42*, *62*, *108*, *143*, *208*, *235*, *288*, *292*
  surgical management around tumor 128, *129*

aus: Sanna, Atlas of Acoustic Neurinoma Microsurgery (ISBN 9783131102829) © 2011 Georg Thieme Verlag KG

tumor classification 5, *6*
tumor shape 5, *7*
tumor size 5, *6*, 25
tympanic cavity *43*
tympanic membrane *143*

V

vagus nerve *42*, *130*, *145–147*, *173*, *286–287*
vertebral artery *42*, *134*, *235*, *241*, *281*, *287*, *289*, *291–292*, *294*
  surgical management around tumor 134, *134*
vertical crest *see* Bill's bar
vertigo 2
vestibular aqueduct *143*
vestibular nerve *286–287*
  see also inferior vestibular nerve (IVN); superior vestibular nerve (SVN)
vestibular schwannoma
  neurofibromatosis type 2 245
    management 245, *245–246*
  see also acoustic neurinoma
vestibule *40*
  combined retrosigmoid–retrolabyrinthine approach *143*, *146–147*
  enlarged middle cranial fossa approach *177*
  translabyrinthine approaches 60, *61–62*, 66, *67–70*, *72*, *98–99*, *104–105*, *109*
  transotic approach *214–216*
vestibulocochlear nerve 40–41, *40–42*
  auditory brainstem implantation and *249*, *256*, *260*
  combined retrosigmoid–retrolabyrinthine approach *157–158*, *169*
  endoscopy and *289–290*, *293*
  enlarged middle cranial fossa approach *178*
  translabyrinthine approaches *62*, *88–89*, *128*, *131–132*
  transotic approach *207–208*

W

wound infection 301

aus: Sanna, Atlas of Acoustic Neurinoma Microsurgery (ISBN 9783131102829) © 2011 Georg Thieme Verlag KG