Index

A

Abscess, epidural 112, 174
Achilles tendon reflex abnormalities
  after previous surgery 78, 84
  with extrusion at L3/4 164
  with extrusion at L4/5 104, 108–110, 134
  with extrusion at L5/S1 50–52, 56–58, 62–68, 72
  with synovial cyst 148
Acute degenerative lysis 3
Adhesions 144
Annular tears *see* Annulus fibrosus perforation
Annuloligamentous complex 48, 118
Annulus fibrosus perforation 6, 8–9, 16, 94
  L3/4 102, 120, 164, 176
  L4/5 94–98, 112–114, 128, 176
  L5/S1 48, 176
Axial view 14

B

Baastrup's phenomenon 2, 3
Bone marrow
  Modic type I changes
    L3/4 152
    L4/5 88, 142
  Modic type II changes
    L1/2 170
    L2/3 168, 188
    L4/5 50, 90, 106–110, 142, 146
    L5/S1 62, 68
Bulging disk *see* Protrusion

C

Calcification 156, 162
Cauda equina syndrome 2, 31, 32, 74, 80, 168, 176
Chemonucleolysis 9, 26
Chondrosis intervertebralis 3, 6
Chymopapain 9
Coccygodynia 17
Compression *see* Dural sac compression; Nerve root compression
Computed tomography (CT) 37
  perineural injection guidance 18–26
Coronal view 10
  with nerve roots 12–13
Cortisone 9
Cysts, synovial *see* Synovial cysts

D

Degenerative diseases 3–6, 44–46, 130, 160, 170, 176–186
  facet joints 3–6, 33, 35, 184, 188–192, 196
    hypertrophy 182, 186, 192–194
    with extrusion at L4/5 132
    with extrusion at L5/S1 58
  L1/2 170
  L3/4 44
  L4/5 50, 68, 88–97, 146, 182
  L5/S1 50, 96, 106–108, 174
  protrusions in 46, 50, 88, 92–96
  sacroiliac joint 3
  spinal stenosis 34–35, 96, 100, 132, 180–197
    monosegmental 34, 44
    multisegmental 34, 186–190, 194
    pathoanatomy 34–35
    surgical strategy 35
Diagnostic imaging 36–38
  computed tomography 37
  evaluation 38
  magnetic resonance imaging 37–38
  myelography 37
  plain radiography 36–37
Disk levels 10, 11, 14
Diskectomy 9, 26, 27
  see also Postdiskectomy syndrome
Diskography 8
Dorsiflexor weakness
  after previous surgery 142
  with extrusion at L4/5 102, 112–114, 124–132
  with extrusion at L5/S1 60, 70
  with synovial cyst 148
Dural sac 12, 13
Dural sac compression
  L1/2 174–176
  L2/3 168
  L3/4 180, 196
    extrusion 152–154, 158–160, 164
  L4/5
    after previous surgery 142
    extrusion 100, 104–108, 112–114, 120–124
    protrusion 88, 92
    synovial cyst 148
  L5/S1 48
    extrusion 62–68, 76
    synovial cyst 86
  pseudospondylolisthesis and 35
  spinal stenosis and 34

E

Edema
  L3 nerve root 152
  L4 nerve root 88
  L5 nerve root 88, 190
  S1 nerve root 50, 68, 82, 190
Epidural abscess 112, 174
Epidural injection *see* Injection
Extrusion 6–10, 16, 32
  covered 6–8, 9, 100, 106, 116, 122, 126
  diagnostic imaging 36–38
    computed tomography 37
    evaluation 38
    magnetic resonance imaging 37–38
    myelography 37
    plain radiography 36–37
  L1/2 172–176
    with infradiskal extension 174–177
    with supradiskal extension 172–175
  L2/3 162, 166–169
    with infradiskal extension 168
    with supradiskal extension 166
  L3/4 150–161, 164
    at disk level 150
    calcification 156
    L3 nerve root compression 150
    with supradiskal extension 152–161, 164
  L4/5 98–141
    at disk level 100–107
    L4 nerve root compression 108–114, 136, 140
    L5 nerve root compression 108–110, 114, 120, 124–126, 130
    lateral extrusion 136–141
    S1 nerve root compression 104, 120, 124, 134
    with infradiskal extension 116–135
      recurrent 142
    with possible abscess 112
    with spinal stenosis 100–102, 132
    with supradiskal extension 108–117, 136
  L5/S1 48–50, 162, 176
    after previous surgery 60, 80
    at disk level 52–59
    L5 nerve root compression 62
    possible intradural migration 76
    S1 nerve root compression 52, 62, 66–68, 72
    with cauda equina syndrome 74
    with infradiskal extension 64–77
    with supradiskal extension 60–62
  pathology 6–8
  prognosis 9–10
  resorption 10, 64, 172
  T12/L1, with infradiskal extension 178
  therapy 9
  uncovered 8–9
  see also Sequestrum

F

Facet arthritis 6
Facet joints
  degenerative disease 3–6, 33, 35, 184, 188–192, 196
    hypertrophy 182, 186, 192–194
    L2/3 182
    L3/4 180, 182
    L4/5 3, 132
    L5/S1 3, 58
    spinal stenosis and 35
  infiltration 17, 18
  synovial cyst 86, 148
Facet syndrome 2–3, 44, 92
Facetectomy 27
Femoral nerve
  L3 syndrome 29–30
  neuralgia 2
Foraminal obstruction *see* Intervertebral foramen obstruction
Formication
  foot 52, 70, 84, 116, 132, 138, 194
  L5 dermatome 86, 100, 106
  S1 dermatome 54, 66–68, 76, 86

G

Ganglia 33, 148

H

Hemilaminectomy 27
Herniation 6, 8
  L2/3 188
  see also Extrusion
High radicular lumbar spine syndrome 2
Hyperlordosis, lumbar 3
Hypertrophy
  facet joints 182, 186, 192–194
  ligamentum flavum 100–102, 132, 182–196
Hypesthesia
  foot 52, 68, 114
  L4 dermatome
    after previous surgery 84
    with extrusion at L4/5 140
    with synovial cyst 86
  L5 dermatome
    after previous surgery 78, 84, 144
    with extrusion at L4/5 102–104, 116, 124–128, 138–140
    with extrusion at L5/S1 60
    with synovial cyst 86, 148
  perianal (saddle) 74, 80, 168
  S1 dermatome
    after previous surgery 78, 82, 144
    with extrusion at L3/4 164
    with extrusion at L4/5 102–104, 132
    with extrusion at L5/S1 56, 70, 72
    with synovial cyst 86

I

Imaging *see* Diagnostic imaging
Inflammation 112
  L3 nerve root 150
  S1 nerve root 78
Infradiskal level 10, 11, 14
Injection 9
  complications 24–26
  epidural 9, 16–18, 19, 22
    dorsal 17–18
    sacral 16–17
  facet infiltration 17, 18
  imaging modality use 18
  indications 17
  loss of resistance technique 17, 24
  medications 19
  perineural 16–17, 18–26
    contralateral needle placement 19, 24
    CT guidance 18–26
    epidural 17, 19, 22, 23, 24
    fluoroscopic guidance 18
    injection technique 21–24
    ipsilateral needle placement 19, 22, 23, 24
    posterolateral 16–22
    preparation 19–21
  side effects 24–26
  treatment protocol 24
Intervertebral foramen obstruction 14
  L2/3 166
  L3/4 160
  L4/5 14, 114
  L5/S1 78
Intradiskal injection therapy *see* Injection
Ischialgia 2
Isolated disk resorption 3

K

Kissing spine 2, 3

L

L1 syndrome 29
  segment-specific 32
L1/2
  degenerative disk disease 170
  extrusion 172–177
    with infradiskal extension 174–177
    with spinal stenosis 172
    with supradiskal extension 172–175
  protrusion 170
L2 syndrome 29
  segment-specific 32
L2/3
  extrusion 162, 166–169
    with infradiskal extension 168
    with supradiskal extension 166
  herniation 188
  intervertebral foramen obstruction 166
  protrusion 162, 182
  spinal stenosis 182
L3 nerve root
  compression 150
  swelling 150–152
L3 syndrome 29–30
  segment-specific 32
L3/4
  annular tears 120, 164, 176
  degenerative disk disease 44, 130, 160
  extrusion 150–161, 164
    at disk level 150
    calcification 156
    L3 nerve root compression 150
    with spinal stenosis 154
    with supradiskal extension 152–161, 164
  intervertebral foramen obstruction 160
  protrusion 98, 120, 180–182, 194
  pseudospondylolisthesis 184, 196
  spinal stenosis 34, 154, 180–184, 194–196
L4 nerve root
  compression
    with extrusion at L4/5 108–114, 136, 140
    with synovial cyst 148
  edema 88
L4 syndrome 30
  segment-specific 32
L4/5
  after previous surgery 108, 142–147
  annular tears 94–98, 112–114, 128, 176
  degenerative disk disease 50, 68, 88–97, 146, 182
  extrusion 98–141
    at disk level 100–107
    L4 nerve root compression 108–114, 136, 140
    L5 nerve root compression 108–110, 114, 120, 124–126, 130
    lateral extrusion 136–141
    pseudorecurrence 108
    S1 nerve root compression 104, 120, 124, 134
    with infradiskal extension 116–135
      recurrent 142
    with possible abscess 112
    with spinal stenosis 100–102, 132
    with supradiskal extension 108–117, 136
  intervertebral foramen obstruction 14, 114
  osteochondrosis 62, 110
    erosive 90
  protrusion 62, 92, 98, 138, 156, 160
    with annular tear 94–96
    with degenerative disk disease 88, 182, 192–194
  pseudospondylolisthesis 96, 186, 192
  spinal stenosis 34, 102, 110, 180
    degenerative (secondary) 96, 100, 132, 180, 184–186, 192–194
  spondylodiskitis 88
  synovial cyst 148
L5 nerve root
  compression
    with extrusion at L4/5 108–110, 114, 120, 124–126, 130
    with extrusion at L5/S1 62
    with synovial cyst 86, 148
  edema 88, 190
  sacralization 120
  scarring after previous surgery 144
L5 syndrome 30
  segment-specific 32
L5/S1
  after previous surgery 60, 78–85
  annular tears 48, 176
  degenerative disk disease 50, 96, 106–108, 174
  extrusion 48–50, 80, 162, 176
    at disk level 52–59
    L5 nerve root compression 62
    possible intradural migration 76
    S1 nerve root compression 52, 62, 66–68, 72
    with cauda equina syndrome 74
    with infradiskal extension 64–77
    with supradiskal extension 60–62
  hypoplasia 120
  intervertebral foramen obstruction 78
  osteochondrosis 48, 110
  protrusion 46–50, 98, 112, 124, 128, 160, 174, 192
    after previous surgery 78–80, 84
    with synovial cyst 86
  retrolisthesis 194
  spinal stenosis 50, 60
  spondylolisthesis 62
  synovial cyst 86
Laminectomy 27
Laminotomy 27
Laser therapy 26
  protrusion 9
Lateral view 13
Lateral zone 12

Leriche syndrome 176
Levels 10, 11, 14
Ligamentum flavum
  hypertrophy 100–102, 132, 182–196
  protrusion 35, 194
Localized lumbar spine syndrome 2, 3
Lordosis, lumbar 46, 92
  hyperlordosis 3
Low back pain 2
Lumbago 2
Lumbar disk syndrome 2
Lumbar motion segments 10–14
  axial view 14
  classification 11
  coronal view 10
    with nerve roots 12–13
  lateral view 13
  levels 10, 11
  zones 12
Lumbar root syndrome 2, 17
Lumbar spinal nerve analgesia 16, 17
Lumbar spine syndrome 2, 3, 17
Lumbarization 15
  S1 64

M

Magnetic resonance imaging (MRI) 37–38
Medial zone 12
Modic type I bone marrow changes
  L3/4 152
  S4–5 88, 142
Modic type II bone marrow changes
  L1/2 170
  L2/3 168, 188
  L4/5 50, 90, 106–110, 142, 146
  L5/S1 62, 68
Motion segments *see* Lumbar motion segments
Multiple myeloma 138
Myelography 37

N

Nerve root compression 3, 10, 34, 35
  L3 nerve root 32
    with extrusion at L3/4 150
  L4 nerve root
    with extrusion at L4/5 108–114, 136, 140
    with synovial cyst 148
  L5 nerve root 30, 32
    synovial cyst and 86, 148
    with extrusion at L4/5 108–110, 114, 120, 124–126, 130
    with extrusion at L5/S1 62
  pseudospondylolisthesis and 35
  S1 nerve root 30
    with extrusion at L4/5 104, 120, 124, 134
    with extrusion at L5/S1 52, 62, 66–68, 72
  spinal stenosis and 34
Nerve root syndrome 2, 3, 17
  extrusion and 10
Nerve roots 12–13
  see also Nerve root compression; Nerve root syndrome
Number of vertebrae 15

O

Obesity 18
Osteochondrosis 3, 4, 6
  L4/5 62, 110
    erosive 90
  L5/S1 48, 110

P

Paramedial zone 12
Paresthesia
  foot 46
  leg 46, 196
Patellar reflex abnormalities
  with extrusion at L1/2 172, 176
  with extrusion at L3/4 150, 154–160
  with extrusion at L4/5 110, 136, 140
  with extrusion at T12/L1 178
Percutaneous diskectomy *see* Diskectomy
Peridural scarring, S1 nerve root 84
Perineural injection *see* Injection
Perineural scarring
  L5 nerve root 144
  S1 nerve root 78–82
Plain radiography 36–37
Plantar flexor weakness 56, 64–70, 76, 108, 142
Postdiskectomy syndrome 17, 32
  L4/5 146
  L5/S1 78, 84
Posterior longitudinal ligament 96, 102, 116–122
Protrusion 6–10, 32, 46, 50, 178, 188
  L1/2 170
  L2/3 162, 182
  L3/4 98, 120, 180–182, 194
  L4/5 62, 92, 98, 138, 156, 160
    with annular tear 94–98
    with degenerative disk disease 88, 182, 192–194
  L5/S1 46–50, 98, 112, 124, 128, 160, 174, 192
    after previous surgery 78–80, 84
    with synovial cyst 86
  ligamentum flavum 35, 194
  pathology 6, 7
  prognosis 9–10
  sciatica and 10, 50
  therapy 9
Pseudoextrusion 62, 186
Pseudoradicular lumbar spine syndrome 2, 3, 17
Pseudospondylolisthesis 35, 186
  L3/4 184, 196
  L4/5 96, 186, 192

Q

Quadriceps weakness
  with extrusion at L1/2 172, 176
  with extrusion at L3/4 150, 154–160, 164
  with extrusion at L4/5 114, 136, 140

R

Radicular lumbar spine syndrome 2, 3
Radiography 36–37
Resorption 10, 64, 114, 172–174
Retrolisthesis 170, 188, 194
Root compression *see* Nerve root compression
Root syndrome *see* Nerve root syndrome

S

S1 nerve root
  compression 30
    with extrusion at L4/5 104, 120, 124, 134
    with extrusion at L5/S1 52, 62, 66–68, 72
  edema 50, 68, 82, 190
  inflammation 78
  lateral recess, stenosis 58
  lumbarization 64
  scarring after previous surgery
    peridural 84
    perineural 78–82
  thickening 84
S1 syndrome 30
  L4/5 extrusion and 104
  segment-specific 32
S2 syndrome 31
S3 syndrome 31
S4 syndrome 31
S5 syndrome 31
Sacralgia 2
Sacralization 15
  L5 nerve root 120
Sacroiliac joint syndrome 2
Sacroiliac joints 2–3
  degenerative changes 3
Sagittal view 13
Scarring 146
  L5 nerve root 144
  S1 nerve root
    peridural 84
    perineural 78–82
Sciatica 2, 3, 32
  extrusion and 10
    L4/5 100–108, 126, 132, 138
    L5/S1 50–52, 62, 66–68
  protrusion and 10, 50
Scoliosis 18
Segments *see* Lumbar motion segments
Sequestrum 6–8, 9, 10
  intrathecal 76
  L1/2 174–176
  L2/3 168
  L3/4 160, 164
  L4/5 108–114, 126–134, 138–140
    after previous surgery 142
  L5/S1 62, 66–74
    after previous surgery 80
    possible intradural migration 76
  resorption 10, 114, 174
  T12/L1 178
Slipped disk *see* Extrusion
Spinal stenosis 17, 33–35, 180–197
  classification 33–34
  degenerative (secondary) 34, 96, 100, 132, 180–197
    monosegmental 34, 44

Spinal stenosis
degenerative (secondary)
multisegmental 34, 186–190, 194
pathoanatomy 34–35
surgical strategy 34–35
diagnostic imaging 36–38
computed tomography 37
evaluation 38
magnetic resonance imaging 37–38
myelography 37
plain radiography 36–37
L1/2 172
L2/3 182
L3/4 34, 154, 180–184, 194–196
L4/5 34, 102, 110
degenerative 96, 100, 132, 180, 184–186, 192–194
L5/S1 50, 60
lateral recess 34, 58
pseudospondylolisthesis 35
S1 lateral recess 58
Spine syndromes 2
Spondylarthritis 4–6, 186
L3/4 180
L4/5 96, 132
Spondylodiskitis 88, 90
Spondylolisthesis 3
L5/S1 62
Spondylosis 4, 6
Stenosis *see* Spinal stenosis
Steroids
epidural injection *see* Injection
side effects 24–26
Supradiskal level 10, 11, 14
Surgical procedures 27
spinal stenosis 35
Synovial cysts 18, 33
L4/5 148
L5/S1 86

T

T12/L1, extrusion with infradiskal extension 178
Therapy
extrusion 9
percutaneous intradiskal procedures 26
protrusion 9
spinal stenosis 34–35
surgical procedures 27–28
synovial cysts 3
see also Injection
Transitional vertebrae 15, 18
Trendelenburg gait 30

V

Vacuum phenomenon 4, 5, 6
Vertebrae, number of 15

Z

Zones 12, 14