Index

Note: Page numbers set **bold** or *italic* indicate headings or figures, respectively.

A

ACA, *see* Anterior cerebral artery (ACA)
AChA, *see* Anterior choroidal artery (AChA)
ACoA, *see* Anterior communicating artery (ACoA)
AICA, *see* Anterior inferior cerebellar artery (AICA)
Anatomical triangles, system of **34**, 37, *38*
Anterior cerebral artery (ACA) **60**, *61*, 221
Anterior choroidal artery (AChA) 37, 62
Anterior communicating artery (ACoA) 34, 60, 221
Anterior inferior cerebellar artery (AICA) 29, 35, 43, *64*, 288, 292, 304
Anterior internal frontal artery 61
Anterior mesencephalic zone **88**
Anterior thalamic cavernous malformation **228**, **234**, *235*
Anterolateral sulcus **93**
Area acustica **89**
Arterial dissection codes 59, 66, **66**, *67–69*, *72*
Arterial landmarks **58**
– anterior cerebral arteries (ACAs) **60**, *61*
– anterior inferior cerebellar artery (AICA) *64*
– arterial dissection codes 59, 66, **66**, *67–69*, *72*
– internal carotid artery (ICA) *61*
– middle cerebral arteries (MCAs) **58**, *60*
– posterior cerebral arteries (PCAs) *62*
– posterior inferior cerebellar artery (PICA) *65*
– rivers of the brain 58, **58**, 59
– superior cerebellar artery (SCA) **63**, *64*
Arteriovenous malformations (AVMs) 34, 122
AVMs, *see* Arteriovenous malformations (AVMs)

B

Basal cavernous malformations **187**, *188*
Basal ganglia cavernous malformations **208**
– clinical evidence 210, **210**, *212–213*
– neuroanatomy of **208**, *209*
–– caudate **208**
–– pallidal **208**
–– putaminal **208**
– subtypes **211**
–– caudate **211**, *214–215*
–– pallidal **221**, *222*
–– putaminal **211**, *217–218*
Basal subtype cavernous malformations **189**, *201*
Basal vein of Rosenthal (BVR) 35, 49
Basilar pontine cavernous malformations **288**, **292**, *294*
Bipolar forceps 15
Brain transgression **108**
Brainstem CM grading scale, rationale for **156**, 157–158
Brainstem CM grading system
– elements of **158**
–– age **159**
–– crossing the axial midpoint **158**
–– developmental venous anomaly **158**
–– hemorrhage **160**
–– size **158**
– validation of *160*, *161–162*
Brainstem CM taxonomy and associated SEZs **103**, 104
BVR, *see* Basal vein of Rosenthal (BVR)

C

C-shaped scalp incision 240
Calcarine artery (CalcA) 63
Callosomarginal artery (CmaA) 22, 61
Carotid artery, internal *61*
Carotid-oculomotor triangle 19, **37**, *39*
Cartography **168**, **376**, *377–379*
Caudate cerebral cavernous **208**, **211**, *214–215*
Caudate-thalamostriate triangle **47**, *48*
Cavernoma types 6, *7*, 11
Cavernomas 4
Cavernomas framework **12**
Cavernomas maps **170**, *171–178*
– maps as metaphors for seven cavernomas 169, **169**, 170
Cavernoma's effect 10
Cavernous malformations (CMs) 4, 14, 23–24, 34, 58, 80, 106
– *See also* Basal ganglia cavernous malformations, Superficial cerebral cavernous malformations, Thalamic cavernous malformation subtypes
CEN, *see* Central executive network (CEN)
Central executive network (CEN) 122, 126
Cerebellar artery
– anterior inferior *64*
– posterior inferior *65*
– superior **63**, *64*
Cerebellar cavernous malformations **358**
– clinical evidence 361, **361**, *362*
– neuroanatomy of **358**, *359–360*
–– deep nuclear **361**
–– petrosal **361**
–– suboccipital **358**
–– tentorial **361**
–– tonsillar **361**
–– vermian **361**
– resection strategies for **363**
–– deep nuclear **370**, *371*
–– petrosal **363**, *368*
–– suboccipital, vermian, and tonsillar **363**, *364–366*
–– tentorial **363**, *367*
Cerebellar vallecular triangle **45**, *46*
Cerebellopontine cistern, subarachnoid dissection approaches 28, **28**
Cerebral and cerebellar triangles **49**
– interlobular triangle *42*, **49**
– vallecular triangle *44*, **49**
Cerebral arteries
– anterior **60**, *61*
– middle **58**, *60*
– posterior *62*
Cerebral eloquence
– expanding the concept of **142**
– hotspots of **129**, *141*
Cerebral sulci, subarachnoid dissection approaches 14, **14**, 15, *16*
Cerebrospinal fluid (CSF) 19, 23, 25
Choroidal fissure 24
Choroidal thalamic cavernous malformation **230**, **240**, *244*
Circle of Willis 58
Cisterna magna, subarachnoid dissection approaches 30, **30**, *31*
Claude's syndrome 9, 259
CMs, *see* Cavernous malformations (CMs)
CNs, *see* Cranial nerves (CNs)
Connectomunculus *379–380*, *381–388*, *390–392*
Contralateral supracerebellar-transtentorial (cSCTT) approach 27–28, 49, 63, 228
Contralateral transcallosal transventricular (cTCal-Vent) 24
Contralateral transcallosal-contralateral transchoroidal (cTCal-cTChor) approach 25
Contralateral transcallosal-ipsilateral transchoroidal (cTCal-iTChor) approach 25, 234
Contralateral transcallosal-ipsilateral transforaminal (cTCal-iFor) approach 47
Contralateral transcallosal-transforaminal (cTCal-For) approach 231
Convexity cavernous malformations **184**, *185*
Convexity cerebral CMs 60
Convexity subtype cavernous malformations **187**, *194*
Corticospinal tracts (CSTs) 110–111
Cranial nerves (CNs) 28, 32, 288
cSCTT approach, *see* Contralateral supracerebellar-transtentorial (cSCTT) approach
CSF, *see* Cerebrospinal fluid (CSF)
CSTs, *see* Corticospinal tracts (CSTs)
Cuneate cavernous malformations **327**, **335**, *342*

D

DAN, *see* Dorsal attention network (DAN)
Deep nuclear cavernous malformations **361**, **370**, *371*
Default mode network (DMN) 122, 126
Dejerine's syndrome 9, 330
Distal-to-proximal dissection 19
DMN, *see* Default mode network (DMN)
Dorsal attention network (DAN) 122, 126
Dynamic retraction 16

E

Edinger–Westphal nuclei 83
Education, maps for **172**
Eloquent noneloquence **122**
– large-scale brain networks 129–131, 137
– cerebral eloquence
–– expanding the concept of **142**
–– hotspots of **129**, *141*
– clinical evidence 123, **123**, *124–125*, *127*
– eloquent cortex **126**
– large-scale brain networks **126**, *128*
– ten percent myth **122**
Exploration, maps for **179**
Extended retrosigmoid (xRS) craniotomy 108
Extracapsular resection technique *107*

F

Fine line **153**
Foramen of Luschka 32
Foramen of Magendie 32
Foramen of Monro (FoM) 24
Fornix 24–25
Foville's syndrome 9, 324
Frontopolar artery (FrPolA) 61
Functional Networks **393**

G

Geniculate thalamic cavernomas 27
Geniculate thalamic cavernous malformation **230**, **249**, *250*
Giant cavernomas *162*, *163–165*
Globus pallidus 221
Glossopharyngeal-cochlear triangle **41**, *42*
Gracile cavernous malformations **329**, **335**, *348*
Gravity-assisted SCIT approaches 25
Guillain–Mollaret triangle 111

H

Hannegan's sign **164**, *166*
Hemosiderin stain **103**
Horner's syndrome 335
Human Connectome Project 122

I

ICA, *see* Internal carotid artery (ICA)
ICP, *see* Inferior cerebellar peduncle (ICP)
ICV, *see* Internal cerebral vein (ICV)

from: Lawton, Seven Cavernomas (9781684204946)
© 2026. Thieme. All rights reserved.

Inferior cerebellar peduncle (ICP) 290, 304
Inferior parietal artery 61
Inferior peduncular pontine cavernous malformations **290**, **304**, *310*
Inferior sagittal sinus (ISS) 22
Infracollicular zone **88**
Infrafacial collicular **98**
Infragalenic triangle *38–40*, **41**, **49**
Infratrigeminal zone **88**
Infratrochlear triangles *36*, **37**, *39–40*
INO, *see* Internuclear ophthalmoplegia (INO)
Intercollicular zone **88**
Interhemispheric fissure, subarachnoid dissection approaches **21**, *22*, 23
Interlobular triangle *42*, **43**, **49**
– pontomedullary triangles **43**, *44*
Internal carotid artery (ICA) 35, 37, 58, *61*
Internal cerebral vein (ICV) 24
Internuclear ophthalmoplegia (INO) 314
Interpeduncular midbrain cavernous malformations **254**, **259**, *260*
Interpeduncular zone **83**
Intracapsular resection technique **108**, *109*
Invisible triangles **115**, *116–119*
Ipsilateral transcallosal-transventricular (iTCal-Vent) 24
ISS, *see* Inferior sagittal sinus (ISS)

J

Jackson Hole trail map **168**

K

Kawase's triangle 292
– *See also* Posteromedial triangle

L

Large-scale brain networks **126**, *128*
Lateral geniculate nucleus (LGN) 228, 230, 240, 249
Lateral lenticulostriate arteries (LSAs) 58, 60
Lateral mesencephalic sulcus zone **88**
Lateral pontine, *see* Middle cerebellar peduncle (MCP)
Lateral SCIT (SCIT-Lat) approach 25
Lateral sulcus, *see* Sylvian fissure
Lateral thalamic cavernous malformation **230**, **234**, *241*
Lawton brainstem CM grading scale **156**, *159*
Lawton CM grading system 162
Lenticulostriate arteries (LSAs) 211
LGN, *see* Lateral geniculate nucleus (LGN)
Liliequist's membrane 19
Limbic and paralimbic network (LN) 122
LN, *see* Limbic and paralimbic network (LN)
LSAs, *see* Lateral lenticulostriate arteries (LSAs), Lenticulostriate arteries (LSAs)

M

Magnetic resonance imaging (MRI) 4, 80
Maps 168
– as metaphors for seven cavernomas 169, **169**, 170
– cavernomas **170**, *171–178*
– for education **172**
– for exploration **179**
– for safe passage **171**
Marie–Foix syndrome 9, 304
MCA, *see* Middle cerebral artery (MCA)
MCP, *see* Middle cerebellar peduncle (MCP)
Medial cavernous malformations **184**, *186*
Medial geniculate nucleus (MGN) 230, 249
Medial longitudinal fasciculus (MLF) 83, 290, 314
Medial posterior choroidal artery (mPChA) 63
Medial subtype cavernous malformations **187**, *198*
Medial thalamic cavernous malformation **230**, **234**, *237*
Median sulcus (medulla) 93, **98**
Medulla oblongata 326
Medullary artery paths *75*, *175*
Medullary cavernous malformations **326**
– clinical evidence 329, **329**, *330*
– neuroanatomy of **326**, *327*
–– cuneate **327**
–– gracile **329**
–– olivary **326**
–– pyramidal **326**
–– trigonal **329**
– resection strategies for **330**, *331*
–– cuneate subtype **335**, *342*
–– gracile subtype **335**, *348*
–– olivary subtype **335**, *336*
–– pyramidal subtype **330**, *332*
–– trigonal subtype **347**, *352*
Medullary safe entry zones **93**, *94–97*
– anterolateral sulcus **93**
– infrafacial collicular **98**
– median sulcus (medulla) **98**
– olivary nucleus **93**
– posterior intermediate sulcus **98**
– posterior median sulcus **98**
– posterolateral sulcus and lateral medullary **98**
Medullary triangles **43**
– cerebellar vallecular triangle **45**, *46*
– subtonsillar triangle **45**, *46*
– vagoaccessory triangle **45**, *46*
– vertebrobasilar junctional triangle **45**, *46*, 47
MGN, *see* Medial geniculate nucleus (MGN)
Midbrain artery paths *69*
Midbrain cavernous malformations 9, **254**
– anatomical triangles for accessing 39
– clinical evidence **255**, 258, *258*
– neuroanatomy of **254**, *256*
–– interpeduncular **254**
–– peduncular **255**
–– periaqueductal **255**
–– quadrigeminal **255**
–– tegmental **255**
– resection strategies for **259**
–– interpeduncular **259**, *260*
–– peduncular **259**, *266*
–– periaqueductal **277**, *282*
–– quadrigeminal **271**, *278*
–– tegmental **271**, *272*
Midbrain safe entry zones **83**, *84–87*
– anterior mesencephalic zone **88**
– intercollicular zone **88**
– interpeduncular zone **83**
– lateral mesencephalic sulcus zone **88**
– supracollicular and infracollicular zones **88**
Midbrain triangles **35**
– carotid-oculomotor triangle **37**, *39*
– infragalenic triangle *40*, **41**
– oculomotor-tentorial triangle (OTT) **37**, *39*
– supracerebellar-infratrochlear triangles *36*, **37**, *39–40*
– supracerebellar-supratrochlear triangles *36*, **37**, *39–40*
Middle cerebellar peduncle (MCP) 25, 29, 35, 83, **89**, 304, 361
Middle cerebral artery (MCA) 17, 22, **58**, 60, *60*, 211, 240
Middle internal frontal artery 61
Middle peduncular pontine cavernous malformations **290**, **304**, *305*
Midline SCIT (SCIT-Mid) approach 25, 27, 255, 259, 277
Millard–Gubler syndrome 9, 314
Mind **392**, *393*, *395–411*
MLF, *see* Medial longitudinal fasciculus (MLF)
mPChA, *see* Medial posterior choroidal artery (mPChA)
MRI, *see* Magnetic resonance imaging (MRI)
Mulberry *106*

N

Neuroanatomy **4**
Neurology **9**
Neuromonitoring **103**
Neuronavigation **103**
Neuroradiology **6**
Neurosurgery **10**
Neurosurgical cartography **168**
– Jackson Hole trail map **168**
– maps as metaphors for seven cavernomas 169, **169**, 170
– maps for education **172**
– maps for exploration **179**
– maps for safe passage **171**
– metaphor **179**
– seven cavernomas maps **170**, *171–178*
Niehues' trail maps 168
Nothnagel's syndrome 9

O

Occipital-transtentorial approach 28
Oculomotor nerve nuclei 83
Oculomotor-tentorial triangle (OTT) 34, **37**, *39*
Olivary cavernous malformations **326**, **335**, *336*
Olivary nucleus **93**
Orbitofrontal artery (OrbFrA) 60–61
Orienteering mentality **118**
Osler–Weber–Rendu disease 9
Osler's sign 9
OTT, *see* Oculomotor-tentorial triangle (OTT)

P

Pallidal cerebral cavernous **208**, **221**, *222*
Paracentral artery 61
Paramedian supracerebellar-infratentorial (SCIT-Para) approaches 25, 231, 240, 249
Parieto-occipioccipital artery (ParOccA) 63
Parinaud's syndrome 9, 271
Patient selection **156**
– brainstem cavernous malformation grading scale, rationale for **156**, 157–158
– brainstem CM grading system, elements of **158**
–– age **159**
–– crossing the axial midpoint **158**
–– developmental venous anomaly **158**
–– hemorrhage **160**
–– size **158**
– brainstem CM grading system, validation of *160*, *161–162*
– clinical application **161**
– giant cavernomas *162*, *163–165*
– Hannegan's sign **164**, *166*
– Lawton brainstem CM grading scale **156**, *159*
PCA, *see* Posterior cerebral artery (PCA)
PcaA, *see* Pericallosal artery (PcaA)
PCoA, *see* Posterior communicating artery (PCoA)
Peduncular midbrain cavernous malformations **255**, **259**, *266*
Periaqueductal midbrain cavernous malformations **255**
Pericallosal artery (PcaA) 22–24, 61
Periocular SEZ, *see* Anterior mesencephalic zone
Peritrigeminal pontine cavernous malformations **288**, **292**, *298*
Petrosal cavernous malformations **361**, **363**, *368*
Petrosal cerebellar cavernomas 29
Petrosal cerebellar CMs 49
PICA, *see* Posterior inferior cerebellar artery (PICA)
PMS, *see* Pontomedullary sulcus (PMS)
Pontine artery paths *72*, *173*
Pontine cavernous malformations **288**
– clinical evidence *289*, **290**, 291, *291*
– neuroanatomy of **288**, *289*
–– basilar **288**
–– inferior peduncular **290**
–– middle peduncular **290**
–– peritrigeminal **288**
–– rhomboid **290**
–– supraolivary **290**
– resection strategies for **292**, *293*
–– basilar subtype **292**, *294*

from: Lawton, Seven Cavernomas (9781684204946)
© 2026. Thieme. All rights reserved.

–– inferior peduncular subtype **304**, *310*
–– middle peduncular subtype **304**, *305*
–– peritrigeminal subtype **292**, *298*
–– rhomboid subtype **314**, *315*
–– supraolivary subtype **314**, *320*
– signs and syndromes **324**
Pontine safe entry zones **88**, *89–92*
– area acustica **89**
– median sulcus **93**
– middle cerebellar peduncle (MCP) **89**
– pontomedullary sulcus (PMS) **93**
– superior foveal **93**
– suprafacial colliculus **93**
– supratrigeminal and infratrigeminal zones **88**
Pontine tegmentum **111**, *113*
Pontine triangles **41**
– glossopharyngeal-cochlear triangle **41**, *42*
– interlobular triangle *42*, **43**
–– pontomedullary triangles **43**, *44*
– posteromedial (Kawase's) triangle *36*, **41**, *42*, 43
– supra- and infratrigeminal triangles **41**, *42*
Pontomedullary sulcus (PMS) 88, **93**
Pontomedullary triangles **43**, *44*
Posterior cerebral artery (PCA) 34, 62, *62*, 63, 254
Posterior communicating artery (PCoA) 19–20, 37, 58, 62
Posterior inferior cerebellar artery (PICA) 30, 32, 34, 45, *65*, 326
Posterior intermediate sulcus **98**
Posterior internal frontal artery 61
Posterior median sulcus **98**
Posterior spinal artery (PSA) 66
Posterior transsylvian-transinsular (TSyl-PIns) approach 211, *218*, 231, 240, *241*
Posterolateral sulcus and lateral medullary **98**
Posteromedial trajectory beyond SEZ **111**, *113*
Posteromedial triangle *36*, **41**, *42*, 43
Proximal-to-distal dissection 19
PSA, *see* Posterior spinal artery (PSA)
Pulvinar thalamic cavernous malformation **230**, **240**, *246*
Putaminal cerebral cavernous **208**, **211**, *217–218*
Pyramidal cavernous malformations **326**, **330**, *332*

Q

Quadrigeminal midbrain cavernous malformations **255**, **271**, *278*

R

Resection technique **106**
– trans-MCP approach 114
– brain transgression **108**
– extracapsular resection technique *107*
– intracapsular resection technique **108**, *109*
– invisible triangles **115**, *116–119*
– mulberry *106*
– orienteering beyond **118**
– posteromedial trajectory beyond SEZ **111**, *113*
– superomedial trajectory beyond SEZ **111**, 115, *116*
– trans-MCP approach **108**, *110–111*, *113*
Residual and recurrent cavernous malformations **144**
– clinical evidence **144**, 145, *146–149*, 150, *151*
– detection **144**
– fine line **153**
– problem of recurrence **144**
– right-angle method **152**
– surgical blind spots **151**, *152*
Rhomboid pontine cavernous malformations **290**, **314**, *315*
Right-angle method **152**
Rivers of the brain 58, **58**, 59

S

Safe entry zones (SEZ) **80**, 108, 314
– brainstem *83*
– brainstem CM taxonomy and associated **103**, 104
– clinical evidence **80**, 81–82
– from inoperable to operable **80**
– medullary **93**, *94–97*
–– anterolateral sulcus **93**
–– infrafacial colliculus **98**
–– median sulcus (medulla) **98**
–– olivary nucleus **93**
–– posterior intermediate sulcus **98**
–– posterior median sulcus **98**
–– posterolateral sulcus and lateral medullary **98**
– midbrain **83**, *84–87*
–– anterior mesencephalic zone **88**
–– intercollicular zone **88**
–– interpeduncular zone **83**
–– lateral mesencephalic sulcus zone **88**
–– supracollicular and infracollicular zones **88**
– neuronavigation, hemosiderin stain, and neuromonitoring **103**
– pontine **88**, *89–92*
–– area acustica **89**
–– median sulcus **93**
–– middle cerebellar peduncle (MEP) **89**
–– pontomedullary sulcus (PMS) **93**
–– superior foveal **93**
–– suprafacial colliculus **93**
–– supratrigeminal and infratrigeminal **88**
– posteromedial trajectory beyond **111**, *113*
– safety of **81**
– superomedial trajectory beyond **111**, 115, *116*
– surface proximity, accuracy of preoperative MRI in determining **98**, *99–102*, 103
Safe passage, maps for **171**
Salience network (SN) 122, 126
SCA, *see* Superior cerebellar artery (SCA)
SCIT corridor, *see* Supracerebellar-infratentorial (SCIT) corridor
SCP, *see* Superior cerebellar peduncle (SCP)
Sensorimotor network (SMN) 122, 129
Septocaudate triangle **47**, *48*
Seven Cavernomas: Tenets and Techniques for Resection 4
SEZ, *see* Safe entry zones (SEZ)
SMA, *see* Supplementary motor area (SMA)
SMN, *see* Sensorimotor network (SMN)
SN, *see* Salience network (SN)
SSS, *see* Superior sagittal sinus (SSS)
Stroke syndromes 9
Stroke's effect 10
Subarachnoid dissection approaches **14**, 15, *16*
– surgical corridors **14**
–– cerebellopontine cistern 28, **28**
–– cerebral sulci 14, **14**, 15, *16*
–– cisterna magna 30, **30**, *31*
–– interhemispheric fissure **21**, *22*, 23
–– sylvian fissure 17, **17**, *18–19*
–– tentorial fissure **25**, *26*, 27, *29*
–– ventricular system **23**, 24
– through interhemispheric fissure 23
– through ventricles 24
Subarachnoid space 14
Subcortical cavernous malformations 184
Suboccipital cavernous malformations **358**, **363**, *364–366*
Subtonsillar triangle **45**, *46*
Superficial cerebral cavernous malformations **184**
– and approach selection **193**
– approach technique **201**
– clinical evidence **187**, 190, 192
– clinical syndromes **206**
– neuroanatomy of **184**
–– basal **187**, *188*
–– convexity **184**, *185*
–– medial **184**, *186*
–– sylvian **187**, *189*
– presenting symptom **206**
– resection strategies for **187**, 190, 192
–– basal subtype **189**, *201*
–– convexity subtype **187**, *194*
–– medial subtype **187**, *198*
–– sylvian subtype **189**, *204*
Superior cerebellar artery (SCA) 19, 37, **63**, *64*, 255
Superior cerebellar peduncle (SCP) 25, 111, **111**, 115, *116*
Superior foveal **93**
Superior parietal artery 61
Superior parietal lobule-transatrial (SPL-Atr) approach 231, 240
Superior sagittal sinus (SSS) 17, 21–23, 27
Superomedial trajectory beyond SEZ **111**, 115, *116*
Supplementary motor area (SMA) 129
Supra- and infratrigeminal triangles **41**, *42*
Supracarotid-infrafrontal triangle **47**, *48*
Supracerebellar-infratentorial (SCIT) corridor 25, 37
Supracerebellar-infratentorial approach 231, 240
Supracerebellar-infratrochlear triangles *36*, **37**, *39–40*
Supracerebellar-supratrochlear triangles *36*, **37**, *39–40*
Supracollicular and infracollicular zones **88**
Suprafacial colliculus **93**
Supraolivary pontine cavernous malformations **290**, **314**, *320*
Supratentorial-infraoccipital approach 25
Supratrigeminal and infratrigeminal zones **88**
Supratrochlear triangles *36*, **37**, *39–40*
Surface proximity, accuracy of preoperative MRI in determining **98**, *99–102*, 103
Surgical blind spots **151**, *152*
Surgical corridors **14**
– cerebellopontine cistern 28, **28**
– cerebral sulci 14, **14**, 15, *16*
– cisterna magna 30, **30**, *31*
– interhemispheric fissure **21**, *22*, 23
– sylvian fissure 17, **17**, *18–19*
– tentorial fissure **25**, *26*, 27, *29*
– ventricular system **23**, 24
Surgical pathology, classifying **4**
Surgical strategy, informing **4**
Sylvian fissure **187**, *189*
– subarachnoid dissection approaches 17, **17**, *18–19*
Sylvian subtype cavernous malformations **189**, *204*

T

Taxonomy 4, **4**
– neuroanatomy **4**, 6, *7–8*
– neurology **9**, 12
– neuroradiology **6**, *10*, 11
– neurosurgery **10**
– seven cavernomas framework **12**
– surgical pathology, classifying *4*
– surgical strategy, informing **4**
Tegmental midbrain cavernous malformations **255**, **271**, *272*
Tela choroidea 24
Teniae 24
Tentorial cavernous malformations **361**, **363**, *367*
Tentorial fissure, subarachnoid dissection approaches **25**, *26*, 27, *29*
Tentorium cerebelli 25
Thalamic and basal ganglial triangles **47**
– caudate-thalamostriate triangle **47**, *48*
– infragalenic triangle *38–40*, **49**
– septocaudate triangle **47**, *48*
– supracarotid-infrafrontal triangle **47**, *48*
Thalamic cavernous malformation subtypes **228**
– clinical evidence **230**, 231, *231–232*
– iterative advances **249**
– neuroanatomy of **228**, *229*
–– anterior **228**
–– choroidal **230**
–– geniculate **230**
–– lateral **230**
–– medial **230**
–– pulvinar **230**
– resection strategies for **231**, *233*
–– anterior **234**, *235*
–– choroidal **240**, *244*

from: Lawton, Seven Cavernomas (9781684204946)
© 2026. Thieme. All rights reserved.

–– geniculate **249**, *250*
–– lateral **234**, *241*
–– medial **234**, *237*
–– pulvinar **240**, *246*
Thalamostriate vein (ThaStrV) 24
Tonsillar cavernous malformations **361**, **363**, *364–366*
Trans-MCP approach **108**, *110–111*, *113*
Transcallosal-transchoroidal fissure (cTCal-TChor) approach 231, 234, 255, *257*, 259, 277
Transgyral dissection 201
Trans-middle cerebellar peduncle (trans-MCP) approaches 108
Transsulcal dissection 16, 201
Transsylvian supracarotid-infrafrontal (TSyl-SCIF) approach 254
Transsylvian-interpeduncular (TSyl-IntPed) approach 255, 259
Transsylvianposterior transinsular (TSyl-PIns) approach 231
Triangle concept **34**
– anatomical triangles, system of **34**, *36*, 37, *38*
– cerebral and cerebellar triangles **49**
–– interlobular triangle *42*, **49**
–– vallecular triangle *44*, **49**
– clinical evidence **49**, *50–52*
– medullary triangles **43**
–– cerebellar vallecular triangle **45**, *46*
–– subtonsillar triangle **45**, *46*
–– vagoaccessory triangle **45**, *46*
–– vertebrobasilar junctional triangle **45**, *46*, 47
– midbrain triangles **35**
–– carotid-oculomotor triangle **37**, *39*
–– infragalenic triangle *40*, **41**
–– oculomotor-tentorial triangle (OTT) **37**, *39*
–– supracerebellar-infratrochlear triangles *36*, **37**, *39–40*
–– supracerebellar-supratrochlear triangles *36*, **37**, *39–40*
– pontine triangles **41**
–– glossopharyngeal-cochlear triangle **41**, *42*
–– interlobular triangle *42*, **43**
–– posteromedial (Kawase's) triangle *36*, **41**, *42*, 43
–– supra- and infratrigeminal triangles **41**, *42*
– pontomedullary triangles **43**, *44*
– thalamic and basal ganglial triangles **47**
–– caudate-thalamostriate triangle **47**, *48*
–– infragalenic triangle *38–40*, **49**
–– septocaudate triangle **47**, *48*
–– supracarotid-infrafrontal triangle **47**, *48*
Trigonal cavernous malformations **329**, **347**, *352*
Two-point method 6, *10*

V

VA, *see* Vertebral artery (VA)
Vagoaccessory triangle **45**, *46*
Vallecular triangle *44*, **49**
VBJ, *see* Vertebrobasilar junction (VBJ)
Vein of Galen (VoG) 240
Vein of Labbé 17
Vein of Trolard 17
Ventral posterolateral (VPL) nucleus 228, 230, 234
Ventral posteromedial (VPM) nucleus 228, 230, 234
Ventricular system, subarachnoid dissection approaches **23**, 24
Vermian cavernous malformations **361**, **363**, *364–366*
Vertebral artery (VA) 32
Vertebrobasilar junction (VBJ) 65
Vertebrobasilar junctional triangle **45**, *46*, 47
Visual network (VN) 122, *409*
VN, *see* Visual network (VN)
VPL nucleus, *see* Ventral posterolateral (VPL) nucleus
VPM nucleus, *see* Ventral posteromedial (VPM) nucleus

W

Wallenberg's syndrome 9–10, 335
Weber's syndrome 9, 259

X

xRS craniotomy, *see* Extended retrosigmoid (xRS) craniotomy

from: Lawton, Seven Cavernomas (9781684204946)
© 2026. Thieme. All rights reserved.